

RETAIL Price List - Valid From October 2021

SVS Compact Sealed Subwoofers

SVS design engineers have achieved excellent deep bass extension and output from our sealed subwoofers, using expertly tuned high-power DSP amplifiers and long-stroke driver motors customised for a sealed application. Feature handsomely designed cabinets, perforated metal grilles, and high-end finish options.

	Retail Ex VAT	Retail Inc VAT
<p>SB-1000 Pro (Black Ash) Driver: 12" Amplifier: 325 watts RMS (820 watts peak) Class D Frequency Response: 20Hz to 270Hz (+/-3dB) In Room Low Freq – 18Hz Weight – 11.9kg Dimensions (H x W x D mm): With Grille 342 x 330 x 375 Without Grille 342 x 330 x 352</p>	£ 523.50	£ 639.00
		
<p>SB-1000 Pro (Gloss Black or Gloss White)</p>	£ 615.83	£ 739.00
<p>SB-2000 Pro (Black Ash) Front-firing 12" high-excursion SVS driver Rear-mounted 550W RMS Class D amplifier with 1,500W Frequency Response: 19-240 Hz ±3 dB Dual 3.5-inch ports Dimensions (H x W x D with grille mm): 372 x 360 x 395 Weight (unboxed with grille): 17.5 kg</p>	£ 832.50	£ 999.00
		
<p>SB-2000 Pro (Black Gloss, White Gloss Special Order)</p>	£ 899.17	£ 1,079.00
<p>3000 Micro (Gloss Black or Gloss White) Fully Active Dual Opposing 8-inch drivers Frequency Response: 23Hz to 240Hz +/-3dB Dimensions (H x W x D with grille mm): 278 x 297 x 271 Weight: 10.2kg</p>	£ 815.83	£ 979.00
		

RETAIL Price List - Valid From October 2021

SVS Compact Sealed Subwoofers (continued)	Retail Ex VAT	Retail Inc VAT
<p>SB-3000 (Black Ash) Reference subwoofer performance from a small cabinet at an ultra-competitive price. Front-firing 13" high-excursion SVS driver Rear-mounted 800W RMS (> 2500W peak) amplifier with Intelligent Control Interface (ICI) Freq. Response: 18-270Hz ±3 dB Premium Black Ash and Piano Gloss Black finishes Protective non-resonant steel mesh grille Dimensions (H x W x D with grille mm): 397 x 385 x 451 Weight (unboxed): 24.7 kg</p>	£ 1,065.83	£ 1,279.00
		
<p>SB-3000 (Gloss Black and Gloss White)</p>	£ 1,157.50	£ 1,389.00
<p>SB-4000 (Black Oak, Black Gloss) Unparalleled Low Frequency Depth, Power and Detail Amplifier Power: 1200W (continuous power) / 4200W (peak dynamic power) Proprietary 13.5" 4000 Series Driver: 19.5kg Woofer with 17.1kg motor, overhung 52mm Xmax, 76.2mm Xmech precision aligned excursion Frequency Response: 19 - 310 Hz (± 3 dB) Max Low Frequency Output: 126.8dB @ 32Hz 1/8 space 1m Dimensions (H x W x D mm): 465 x 453 x 530 Weight: 46.4 kg</p>	£ 1,707.50	£ 2,049.00
		
<p>SB16-ULTRA (Black Oak, Black Gloss) Proprietary 16" SVS Driver with Massive 8" Edge Wound Voice Coil 1500W Continuous, 5160W Peak Dynamic Power Sledge Amplifier Innovative Apple iOS and Android App for Subwoofer Control and Bass Management Premium Black Oak and Piano Gloss Black Finish Protective, Non-resonant Steel Mesh Grille Frequency Response: 16 - 460 Hz ± 3 dB Dimensions (H x W x D with grille mm): 508 x 495 x 511 Weight: 55.3 kg</p>	£ 2,332.50	£ 2,799.00
		

RETAIL Price List - Valid From October 2021

SVS Maximum Performance Ported Subwoofers

With handsome cabinet designs, a variety of upscale finish options, and a sleek perforated metal grille, these subwoofers look as good as they perform. Optimal enclosure volume, deep-tuned porting, high-performance drivers, and plenty of intelligent DSP amplifier power are the hallmarks of this design, and provide unmatched performance and value.

	Retail Ex VAT	Retail Inc VAT
<p>PB-1000 Pro (Black Ash)</p> <p>Driver: 12"</p> <p>Amplifier: 325 watts RMS (820 watts peak) Class D</p> <p>Frequency Response: 17Hz to 260Hz Standard +/-3dB; 19Hz to 260Hz Sealed +/-3dB In Room Low Freq – 18Hz</p> <p>Weight: 19.3kg</p> <p>Dimensions (H x W x D mm): With Grille 479 x 380 x 509 Without Grille 467 x 380 x 488</p> <p>PLEASE NOTE: Port bungs are not included but are available FOC at time of order or £7 if ordered separately.</p>	£ 707.50	£ 849.00
		
<p>PB-2000 Pro (Black Ash)</p> <p>Protective non-resonant extra-thick ABS fabric mesh grille</p> <p>Front-firing 12" high-excursion SVS driver</p> <p>Dual 3" ports</p> <p>Rear-mounted Sledge 550W RMS Class D amplifier with 1,500+ W of Peak Power and Intelligent Control Interface (ICI)</p> <p>Freq. Response: 16-290 Hz ±3 dB (standard mode); 17-290 Hz ±3 dB (sealed mode)</p> <p>Iso-elastomer feet</p> <p>Robust MDF cabinet construction</p> <p>Dimensions (H x W x D with grille mm): 532 x 440 x 600</p> <p>Weight (unboxed with grille): 29.4 kg</p> <p>PLEASE NOTE: Port bungs are not included but are available FOC at time of order or £7 if ordered separately.</p>	£ 974.17	£ 1,169.00
		

RETAIL Price List - Valid From October 2021

SVS Ported Subwoofers (continued)	Retail Ex VAT	Retail Inc VAT
<p>PB-3000 (Black Oak)</p> <p>Reference subwoofer performance at a breakthrough price. Front-firing 13" high-excursion SVS driver Rear-mounted 800W RMS (>2500+W peak) amplifier with Intelligent Control Interface (ICI) Freq. Response: 16-260 Hz \pm3 dB (standard mode); 18-260 Hz \pm3 dB (sealed mode) Dual 3.5-inch ports Premium Black Ash finish Protective non-resonant steel mesh grille Dimensions (H x W x D with grille mm): 557 x 465 x 660 Weight (unboxed): 37.3 kg</p> <p>PLEASE NOTE: Port bungs are not included but are available FOC at time of order or £7 if ordered separately.</p>	£ 1,499.17	£ 1,799.00
<p>PB-4000 (Black Oak, Black Gloss)</p> <p>Jaw-Dropping Bass Extension and Output with Pinpoint Control and Accuracy</p> <p>Amplifier Power: 1200W (continuous power) / 4200W (peak dynamic power) Proprietary 13.5" 4000 Series Driver: 22.5kg Woofer with 20.1kg motor, underhung 53mm Xmax, 91.6mm Xmech precision aligned excursion Frequency Response: 16Hz to 200Hz (\pm 3 dB standard mode) 13Hz to 200Hz (\pm 3 dB extended mode) 18Hz to 200Hz (\pm 3 dB sealed mode) Max Low Frequency Output: 134.5dB @ 32Hz 1/8 space 1m Weight: 69.5 kg Dimensions (H x W x D with grill mm): 595 x 520 x 763</p>	£ 2,165.83	£ 2,599.00



RETAIL Price List - Valid From October 2021

SVS Ported Subwoofers (continued)	Retail Ex VAT	Retail Inc VAT
<p>PB16-ULTRA (Black Oak, Black Gloss) Proprietary 16" SVS Driver with Massive 8" Edge Wound Voice Coil 1500W Continuous, 5160W Peak Dynamic Power Sledge Amplifier Innovative Apple iOS and Android App for Subwoofer Control and Bass Management Premium Black Oak and Piano Gloss Black Finish Protective, Non-resonant Steel Mesh Grille Frequency Response: 15 - 280 Hz (± 3 dB) Dimensions (H x W x D with grille mm): 635 x 551 x 785 Weight: 55.3 kg</p>	£ 2,915.83	£ 3,499.00



SVS Powered Cylinder Subwoofers

With just a 16.5" diameter, no other family of subwoofers provides more bass performance per square inch of floor space. This unique and proprietary cylinder design utilises vertical space in order to achieve perfectly deep-tuned bass. With a sleek footprint, these cylinder subwoofers fit conveniently into any theatre room without sacrificing performance. A bottomfiring, long-stroke driver provides a low centre of gravity and excellent stability. The exclusive integrated amp-mount provides a secure and elegant platform for our sophisticated DSP amplifiers. Complete with resonance-free grille.

<p>PC-2000 Pro (Black Gloss) Down-firing 12" high-excursion SVS driver Rear-firing 4" port Rear-mounted Sledge 550W RMS Class D amplifier with 1,500+ W of Peak Power and Intelligent Control Interface (ICI) Frequency Response: 16 - 290Hz (+/-3dB standard mode) 17 - 290Hz (+/-3dB sealed mode) SVS SoundPath Subwoofer Isolation System Robust MDF cabinet construction Dimensions (H x Diameter mm): 872 x 422 Weight (unboxed): 21.5 kg</p>	£ 974.17	£ 1,169.00
--	-----------------	-------------------



RETAIL Price List - Valid From October 2021

SVS Powered Cylinder Subwoofers (continued)	Retail Ex VAT	Retail Inc VAT
<p>PC-4000</p> <p>Reference-calibre bass with smaller footprint just 16" diameter</p> <p>Amplifier Power: 1200W (continuous power) / 4200W (peak dynamic power)</p> <p>Proprietary 13.5" 4000 Series Driver: 22.5kg Woofer with 20.1kg motor, underhung 53mm Xmax, 91.6mm Xmech precision aligned excursion</p> <p>Frequency Response: 17 - 200Hz (+/-3dB standard mode) 15 - 200Hz (+/-3dB extended mode) 16 - 200Hz (+/-3dB sealed mode)</p> <p>Max Low Frequency Output: 133.1dB @ 32Hz 1/8 space 1m</p> <p>Finishes: Piano Gloss Black</p> <p>Weight: 41.9kg (with grille)</p> <p>Dimensions (H x Diameter with grille mm): 1190 x 419</p>	£ 1,999.17	£ 2,399.00



SVS Ultra Speakers

Led by award-winning designer Mark Mason, every aspect of the Ultra Speaker design was developed with extreme performance, stunning aesthetics and superb fidelity as the overriding priorities. The finest quality materials and components were used, with many parts being custom-designed exclusively for this application. The Ultra Speakers were modelled using the most sophisticated engineering available, including finite element analysis (FEA) to optimise performance. Each speaker was refined after months of anechoic chamber and calibrated listening room measurements at the world-renowned National Research Council facilities in Canada.

	Retail Ex VAT	Retail Inc VAT
<p>Ultra Bookshelf (pair)</p> <p>Bookshelf Monitor Loudspeaker</p> <p>Available in Black Piano gloss and Black Oak veneer</p> <p>Dual gold-plated 5-way binding posts</p> <p>1.7" wide-flared rear-firing port</p> <p>Cloth grille with pin/cup retention system</p> <p>Dimensions (H x W x D mm): 379 x 216 x 254</p> <p>Weight: 8.62 kg</p>	£ 1,082.50	£ 1,299.00



RETAIL Price List - Valid From October 2021

SVS Ultra Speakers (continued)	Retail Ex VAT	Retail Inc VAT
<p>Ultra Centre Centre Channel Loudspeaker Available in Black Piano gloss and Black Oak veneer Dual gold-plated 5-way binding posts Dual 1.7" wide-flared rear-firing ports Cloth grille with pin/cup retention system Dimensions (H x W x D mm): 203 x 559 x 254 Weight: 14.1 kg</p>	£ 707.50	£ 849.00
<p>Ultra Surround (pair) Dual Baffle Surround Loudspeaker Available in Black Piano gloss and Black Oak veneer Dual independent gold-plated 5-way binding posts Cloth grille with pin/cup retention system Aluminium wall mounting bracket with safety catch feature to help prevent inadvertent removal Dimensions (H x W x D mm): 356 x 312 x 137 Weight: 8.16 kg</p>	£ 1,082.50	£ 1,299.00
<p>Ultra Tower (pair) Floor Standing Tower Loudspeaker Available in Black Piano gloss and Black Oak veneer Dual gold-plated 5-way binding posts 3.5" wide-flared rear-firing port Cloth grille with pin/cup retention system Dimensions (H x W x D mm): 1143 x 350 x 413 Weight: 34.2 kg</p>	£ 2,415.83	£ 2,899.00



RETAIL Price List - Valid From October 2021

SVS Prime Series Speakers

Consisting of Pinnacle, Elevation, Bookshelf, Tower, Centre and Satellite models, the Prime Series is SVS' second full-range speaker family offering. SVS has combined knowledge gained from developing the award-winning Ultra Series with new engineering and form factor changes to achieve flagship performance, features and specifications from the Prime Series at mainstream prices. The Prime Series introduces the experience of high-end audio to a broader audience.



	Retail Ex VAT	Retail Inc VAT
<p>Prime Pinnacle (Black Ash pair)</p> <p>The ultimate expression of what SVS sought to create with the Prime Series loudspeakers is epitomized in Prime Pinnacle. Audiophile refinement and musicality without sacrificing wide dynamic range, deep, effortless bass and all the excitement of a world-class loudspeaker.</p> <p>Floor Standing Tower Loudspeaker</p> <p>1" Aluminium Dome Tweeter: FEA-optimized diffuser for airy and unveiled presentation, Aluminium dome for exceptional transient response</p> <p>5.25" Midrange Polypropylene cone Driver: Polypropylene cone for excellent stiffness / mass ratio and pistonic behaviour</p> <p>Triple 6.5" Polypropylene cone Woofers: Long stroke motor and suspension for high output, Polypropylene cone for excellent stiffness / mass ratio and pistonic behaviour</p> <p>3-way crossover with premium-grade capacitors, air-core inductors and heavy-trace printed circuit boards</p> <p>Rated bandwidth: 29 Hz - 25 kHz (±3 dB)</p> <p>Nominal impedance: 8 Ω</p> <p>Sensitivity: 88 dB (2.83V @ 1m full-space, 300-3kHz)</p> <p>Recommended amplifier power: 20 - 300 W</p> <p>5-way binding posts</p> <p>Triple 2" wide-flared rear-firing ports</p> <p>Cloth grille with pin / cup retention system</p> <p>Dimensions (H x W x D mm): 1,044 x 203 x 353 (includes grille, feet and binding posts)</p> <p>Weight (Unboxed): 25.9 kg</p> <p>Black ash and piano gloss black finish options</p>	£ 1,665.83	£ 1,999.00
<p>Prime Pinnacle (Black Gloss pair)</p>	£ 1,666.67	£ 2,000.00



RETAIL Price List - Valid From October 2021

SVS Prime Series Speakers (continued)	Retail Ex VAT	Retail Inc VAT
<p>Prime Elevation (Black Ash pair)</p> <p>The Prime Elevation is designed to serve in multiple roles, including use as reflected-sound elevation modules in an immersive audio system. This compact, trapezoidal speaker is primed for ceiling, on-wall, speaker stand or shelf mounting. Each speaker includes a four position bracket for easy wall and ceiling mounting.</p> <p>1" aluminium dome tweeter paired with 4.5" polypropylene mid / woofer</p> <p>Frequency response: 69 Hz - 25 kHz (+/- 3dB)</p> <p>PLEASE NOTE: Ceiling mounts are available FOC at time of order or £7 if ordered separately.</p>	£ 457.50	£ 549.00
		
Prime Elevation (Black Gloss, White Gloss pair)	£ 540.83	£ 649.00
Prime Bookshelf (Black Ash pair)	£ 540.83	£ 649.00
<p>1" aluminium dome tweeter</p> <p>6.5" polypropylene cone woofer</p> <p>SoundMatch Crossover Network: 2-way crossover</p> <p>1.7" wide-flared rear-firing port</p> <p>Rated bandwidth: 48 Hz - 25 kHz (+/-3 dB)</p> <p>Nominal impedance: 8Ω</p> <p>Sensitivity: 87 dB (2.83V @ 1 m full-space, 300 - 3kHz)</p> <p>Recommended amplifier power: 20 - 150W</p> <p>Dimensions (H x W x D mm): 338 x 336 x 262 (includes grille and bumper feet)</p> <p>Weight Unboxed: 7.0 kg</p>		
Prime Bookshelf (Black Gloss pair)	£ 624.17	£ 749.00

RETAIL Price List - Valid From October 2021

SVS Prime Series Speakers (continued)	Retail Ex VAT	Retail Inc VAT
<p>Prime Tower (Black Ash pair)</p> <p>1" aluminium dome tweeter 4.5" polypropylene cone midrange driver Dual 6.5" polypropylene cone woofers SoundMatch Crossover Network: 3.5-way crossover Dual 1.7" wide-flared rear-firing ports Rated bandwidth: 30 Hz - 25 kHz (+/-3 dB) Nominal impedance: 8Ω Sensitivity: 87 dB (2.83V @ 1 m full-space, 300 - 3kHz) Recommended amplifier power: 20 - 250W Dimensions (H x W x D mm): 930 x 203 x 295 (includes grille and feet) Weight Unboxed: 18.2 kg</p>	£ 1040.83	£ 1,249.00
		
<p>Prime Tower (Gloss Black pair)</p>	£ 1,165.83	£ 1,399.00
<p>Prime Centre (Black Ash each)</p> <p>1" aluminium dome tweeter 3.5" midrange driver Dual 5.25" woofers SoundMatch Crossover Network: 3-way crossover Dual 1" wide-flared rear-firing ports Rated bandwidth: 48 Hz - 25 kHz (+/-3 dB) Nominal impedance: 8Ω Sensitivity: 86 dB (2.83V @ 1 m full-space, 300 - 3kHz) Recommended amplifier power: 20 - 200W Dimensions (H x W x D mm): 193 x 203 x 211 (includes grille, binding posts and bumper feet) Weight Unboxed: 9.2 kg</p>	£ 399.17	£ 479.00
		
<p>Prime Centre (Black Gloss each)</p>	£ 457.50	£ 549.00

RETAIL Price List - Valid From October 2021

SVS Prime Series Speakers (continued)	Retail Ex VAT	Retail Inc VAT
<p>Prime Satellite (Black Ash pair)</p> <p>1" aluminium dome tweeter 4.5" polypropylene cone woofer SoundMatch Crossover Network: 2-way crossover 1" wide-flared rear-firing port Rated bandwidth: 69 Hz - 25 kHz (+/-3 dB) Nominal impedance: 8Ω Sensitivity: 85 dB (2.83V @ 1m full-space, 300 - 3kHz) Recommended amplifier power: 20 - 150W Keyway bracket for easy and convenient wall mounting (includes extra bumper pads for wall stand-off) Dimensions (H x W x D mm): 225 x 125 x 160 (includes grille and bumper feet) Weight Unboxed: 3.0 kg</p>	£ 307.50	£ 369.00
		
<p>Prime Satellite (Black Gloss, White Gloss pair)</p>	£ 374.17	£ 449.00
<p>Prime 2.1 System (Black Ash)</p> <p>Complete 2.1 system featuring a pair of Prime Satellites and SB-1000 subwoofer. 2 x Prime Satellite Speakers for a complete audio system in Black Ash 1 x SB-1000, 13" subwoofer in Black Ash</p>	£ 732.50	£ 879.00
		
<p>Prime 2.1 System (Black Gloss, White Gloss)</p>	£ 815.83	£ 979.00

RETAIL Price List - Valid From October 2021

SVS Prime Series Speakers (continued)	Retail Ex VAT	Retail Inc VAT
<p>Prime 5.1 System (Black Ash)</p> <p>Complete 5.1 system featuring five Prime Satellites and an SB-1000 subwoofer</p> <p>5 x Prime Satellite Speakers for a complete 5-channel speaker system in Black Ash, Gloss Black or Gloss White</p> <p>1 x SB-1000, 13" subwoofer in Black Ash, Gloss Black or Gloss White</p> <p>Upgrade to 7.1 or 9.1 with additional Prime Series Satellites for an even more immersive experience</p>	£ 1,107.50	£ 1,329.00
<p>Prime 5.1 System (Gloss Black, Gloss White)</p>	£ 1,282.50	£ 1,539.00



<p>Prime Wireless Speaker System</p> <p>Equipped with both WiFi/Bluetooth connectivity and smartphone/device control, the SVS Prime Wireless Speaker System is a high quality smart active/passive speaker pair that offers dynamic full-range sound and true stereo separation from online music services and local sources. Control is via smart device over WiFi through the DTS Play-Fi app, direct over WiFi from preset via the front panel display or through Amazon Alexa.</p>	£ 582.50	£ 699.00
<p>1" Tweeter; 4.5" Mid-woofer</p> <p>Amplifier Power: 200W (50W x 4)</p> <p>High-Resolution 192 KHz / 24-bit DAC</p> <p>Frequency Response: 52 Hz - 25 kHz (±3 dB)</p> <p>WiFi, Bluetooth, and Direct Connections</p> <p>Stream Spotify, Pandora, SiriusXM, Amazon Music, Tidal</p> <p>Amazon Alexa smart compatibility for voice control of music</p> <p>Bluetooth with aptX and AAC</p> <p>Optical and line level inputs from TVs, gaming consoles, CD players, turntables, PCs and more</p> <p>6 front panel presets for direct WiFi access to music services and playlists without needing a smart device</p> <p>Weight (speaker pair): 8.29 kg</p> <p>Dimensions (H x W x D mm): 260 x 155 x 183</p>		



RETAIL Price List - Valid From October 2021

Prime Wireless (continued)	Retail Ex VAT	Retail Inc VAT
<p>Prime Wireless SoundBase</p> <p>Add high-resolution wireless audio streaming, future-facing connectivity and smart speaker control to existing loudspeakers and systems through the Prime Wireless SoundBase wireless bridge. The Prime Wireless SoundBase is DTS Play-Fi enabled for multi-room/multi-zone wireless audio streaming and control from any smartphone/tablet.</p>		
<p>Amplifier Power: 300W (150W x 2) High-Resolution 192 KHz / 24-bit DAC WiFi, Bluetooth, and Direct Connections Stream Spotify, Pandora, SiriusXM, Amazon Music, Tidal Amazon Alexa smart compatibility for voice control of music Bluetooth with aptX and AAC Optical and line level inputs from TVs, gaming consoles, CD players, turntables, PCs and more Line level output 6 front panel presets for direct WiFi access to music services and playlists without needing a smart device Dimensions H x W x D cm: 8.2 x 23.1 x 22.4 Weight kg: 2.22</p>	£ 457.50	£ 549.00
		
<p>Soundpath Wireless Audio Adaptor</p> <p>Add wireless connectivity to subwoofers, speakers, amplifiers and more. Transmits a pristine, full-range audio signal up to 65' at CD-quality (16-bit/48KHz) with ultra-low latency.</p>		
	£ 104.17	£ 125.00
		
<p>SoundPath Tri-Band Wireless Audio Adaptor</p> <p>For full range audio transmission in crowded wireless environments.</p>		
	£ 165.83	£ 199.00
		
<p>SoundPath Isolation System</p> <p>Benefits include: Less buzz/rattle from objects in the room; Cleaner and tighter sounding bass with less floor boom and vibration; Affordable and discreet alternative to platforms and risers; Works with any brand subwoofer which accepts screw-in feet</p>		
		
SVS Soundpath Feet (4 pack)	£ 54.17	£ 65.00
SVS Soundpath Feet (6 pack)	£ 65.83	£ 79.00